

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11361	((stor\$3 or cach\$3 or archiv\$3) with (data with format\$1) with (table\$1 or database\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 12:33
L2	5626	1 and (@ad<"20010801" or @rlad<"20010801")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 12:33
L3	5626	1 and (@ad<"20010801" or @rlad<"20010801")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 12:34
L4	10373	((stor\$3 or cach\$3 or archiv\$3) with (data with format\$1) with (table or database))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 12:33
L5	12542	((stor\$3 or cach\$3 or archiv\$3) with (data with format\$1) with (table or schema or (data near2 structure) or database))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 12:34
L6	6418	5 and (@ad<"20010801" or @rlad<"20010801")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 12:34
L7	61	((stor\$3 or cach\$3 or archiv\$3) adj (data with format\$1)) with (table or schema or (data near2 structure) or database))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 12:36

EAST Search History

L8	32	7 and (@ad<"20010801" or @rlad<"20010801")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 12:38
L9	3	8 and 707/100,200.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 12:35
L10	12	8 and "707"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 12:38
L11	604	((stor\$3 or cach\$3 or archiv\$3) with (different near2 format\$1) with (table or schema or (data near2 structure) or database))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 12:37
L12	360	((stor\$3 or cach\$3 or archiv\$3) with (different near2 format\$1) with (one or 1 or single) with (table or schema or (data near2 structure) or database))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 12:38
L13	194	12 and (@ad<"20010801" or @rlad<"20010801")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 12:39
L14	90	13 and "707"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 12:38

EAST Search History

L15	45	((stor\$3 or cach\$3 or archiv\$3) adj ((different or two or other\$1) near2 format\$1)) with (one or 1 or single) with (table or schema or (data near2 structure) or database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 12:39
L16	18	15 and (@ad<"20010801" or @rlad<"20010801")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 12:39